

# Audion Speedpack 300 Tabletop Advanced

Compact All-Electric Industrial Bagger

## Advanced model – Ideal for semi-automatic packaging operations

This all-electric, robust automatic bagger is the go-to solution to effortlessly process medium to large batches without the need for compressed air. The Speedpack Tabletop operates with pre-opened bags on a roll (SpeedBags) which are widely available from stock. The compact and plug-in character make this bagger ideal for direct integration into your production, giving an immediate boost to your packaging output. Intuitive controls and a user-friendly touch screen empower operators to master the Speedpack Tabletop swiftly, maximizing productivity.


The Speedpack Tabletop Advanced is standard equipped with bag stretchers, an inclinable bag support and a foot operation, to optimize efficiency and user convenience. Optionally, a thermal transfer printer or labeler is integrated for a direct print or labeling of your bags, even for shipping purpose (unique labels). In addition, various pre-assembled Add-Ons are available for further customization.

- ✓ All Speedpack 300 Advanced models are directly available from stock for quick integration.

### Key features and Benefits:

- ✓ **All-electric operation:** No need for compressed air. Fill and seal wherever you want.
- ✓ **Compact and Robust Design:** Ensures durability and longevity, even in demanding applications.
- ✓ **Thermal transfer printer or Labeler:** Optionally integrated to provide clear and consistent labels.
- ✓ **Inclinable bag support:** To support the bag during filling & sealing.
- ✓ **Bag stretchers:** Ensuring high-quality/ wrinkle-free seals along the entire bag length.
- ✓ **High-Speed Performance:** Suitable for high-volume packaging operations up to 40 bags p/min.
- ✓ **Wide Bag Compatibility:** Accommodating bags up to 30 cm wide and 50\* cm long.  
(\*Customized version, configured without support table)
- ✓ **Hermetic Sealing:** The high-power seal mechanism creates strong reliable seals in bags up to 100 µ.
- ✓ **User-Friendly HMI:** Touchscreen interface to program up to 50 seal recipes for different products.
- ✓ **Low Maintenance:** Minimal maintenance, including an integrated problem-solving module.
- ✓ **Easy Product and Film Loading:** The extra-wide product loading zone and film roll exchange from the front ensures efficient packaging and minimizes downtime.
- ✓ **Customizable Options:** For optimal (automated) product infeed and best fit packaging solution.

### Accessories to customize the Speedpack Tabletop Advanced



- Easy Touch Start Sensor: A portable magnetic start sensor to activate the packaging cycle
- Fixed Hopper: Easy infeed hopper, available in various sizes
- Air Press Device: Removes air from the bag before sealing, to minimize package size
- Foot Operation with Cover

### Audion SpeedBags®

The Speedpack Tabletop operates with pre-opened bags on a roll: Audion SpeedBags®, which are widely available from stock or can be custom made to match your specific requirements.



## Speedpack 300 Advanced standard includes the following features:

**Audion Thermal Transfer Printer or Labeler (optional)**


**Bag stretchers**

**Wide product loading zone**

**Clear 7" color touchscreen HMI**

**Inclinable bag support table**

**Manual, Foot or Automatic operation mode**



## Technical Specifications 300 SPK TT

<b>Type of Machine:</b>	Compact tabletop bagger
<b>Operation:</b>	Manual, foot or automated
<b>Cycling speed:</b>	Max. 40 bags / min. (depending bag size, film, way of filling)
<b>Bag widths:</b>	75 - 300 mm
<b>Bag length:</b>	SPK Advanced: 80 - 310 mm   SPK CONF: 80 - 500 mm
<b>Min. bag length with coding:</b>	125 mm + label length
<b>Seal width:</b>	1,5 mm
<b>Product loading zone:</b>	100 mm
<b>Thickness of film:</b>	25 - 150 µm
<b>Machine covering:</b>	Epoxy
<b>Diameter film roll:</b>	Max. 255 mm
<b>Outside Dimensions (L x W x H):</b>	450 x 650 x 595 mm
<b>Recipe storage:</b>	50 recipes can be stored
<b>Voltage:</b>	230 V-1ph-50 /60 Hz
<b>Consumption:</b>	500 W

**Also available:**  
**Fully configurable version**

For seamless integration with automated infeed solutions.  
Options like handshake, bag open detection and error signal are available  
to maximize your packaging process.



Let's open opportunities.